INDEX

abnormal plant growth, 148
ABO system, 52, 140, 152
Abraxas, 29
Accipiter, 13
acentric, 399 *sqq.*
Acentropus, 17
Achillea, 32
Acridium, 27
Actinomycetes, 249
adaptation, 153, 174, 269, 418
Aegilops, 132, 150
Aethionema, 65
Agropyron, 132
albino, 291
alleles, linear arrangement, 343
  para, 380
allelic interaction, 223 *sqq.*, 318
allelism, 34, 53, 69 *sqq.*, 279, 296, 325, 343, 364, 374 *sqq.*
Allison, D., 39, 40
Allium, 104, 117 *sqq.*, 249
Alopex, 14
ambivalence, 25 *sqq.*
Amphibians, 29
Anagallis, 3, 15
anæmia, 26, 38, 281
anaerobic culture, 143
Anarrichas, 52
Anderson, 149
Angiosperm, 53
Anthus trivialis, 8
antibodies, 138, 316, 320
antibiotics, 250
antigens, blood, 137
Apis, 19
apomixis, 63
Apotettix, 27
Arabis, 63
Arachnida, 4
Argynnis paphia, 13
Ardea, 14
arterial system, 289
artificial breeding, 147
Arum, 32
Arvicole, 51
Ascidians, 31
Ascomycetes, 252, 289
ascospore, 345 *sqq.*
ascus, 373,381
Aspergillus, 343 *sqq.*, 381
asynapsis, 118, 119-120, 123
Atropa, 23
Auerbach, C., 290
autosome, 386
Avena sp., 149
aviary, 326 *sqq.*
back crossing, 259, 296 *sqq.*, 409, 413
bacteriology, 144, 290
balanced lethal, 293
Bateman, A. J., 53, 152, 187, 415
Bateman, N., 291
Bateson, W., 1, 43, 144, 286
Beale, G. H., 152, 284
de Beer, G. R., 276
beetles, 3
Bell, G. D. H., 150
biochemistry, 278
biomathematics, 146
biotic potential, 176
birch, 327 *sqq.*
Biston betularia, 15, 323 *sqq.*
blood groups, 27, 33, 52, 74, 135 *sqq.*, 278, 280, 291
body size, *Drosophila*, 183
  weight, *Drosophila*, 170
Bombyx, 385
Boraginaceae, 33
Bothriembryon, 17
Boyd, 280
Brachet, 147
Brassica, 57 *sqq.*
breeding system, 113-114, 236, 293, 418
  technique, 150
Brock, R. D., 199
Bromus, 103, 399
Brown, 149
Brown, A. G., 61
Burnett, J. H., 23
Buzzati-Traverso, A. A., 153

Calystegia, 33
cancer, 37, 287
Capsella, 55, 62, 69, 75
Cardamine, 53
Carocala, 3
cattle, 419
Caulanthus, 65
Cavalli-Sforza, L. L., 249
cell physiology, 147
coenocyte, 104
centimorgan, 376 *sqq.*
centromere, 344, 357, 373, 385, 391, 400
Cepaea, 9, 28
Charmosyna, 14
cherry, 19, 419
chiasmata, 104, 107, 375
  frequency, 95, 107, 208, 385 *sqq.*
  localisation, 390, 396
  terminalisation, 399, 402
Chi-square, 167, 266, 305, 334, 390, 413
chicken, 291
chiamaeras, 1

Chiton, 3
Chlamydomonas reinhardi, 239 *sqq.*
Chorthippus, 210, 386, 403
chromatid, 358, 373 *sqq.*, 385, 400, 404
chromosome, 373, 377, 391
  balance, 119 *sqq.*
  behaviour, 93-116, 399
  breakage, 118-119, 123-126, 190, 199, 210 *sqq.*, 343, 399 *sqq.*, 405, 406
  bridges, 97-100, 399 *sqq.*
  number, 129-134, 418
    in *Hymenocallis*, 129-134
  pairing, 369
  rearrangement, 246, 354
  size, 205
  segment, 343 *sqq.*, 381
  supernumerary, 386, 387
  theory, 1
  types, 153
  uncoiling, 96-97
Cladocera, 5
cleistogamy, 20
Cleveland, 145
Coccinella, 3
Cock, A. G., 291
Coelenterata, 4
Coeraba flaveola, 14
cold treatment, 79
Colias, 3
colour, blindness, 41
  factors, 291
compatability, 53 *sqq.*, 417
competition, intra-specific, 175
Compositae, 76, 293
conidium, 344 *sqq.*, 381
Convolvulus, 33
Cooper, J. P., 418
copepods, 3
Cosmos, 69, 75
cotton, 26
Courtney-Pratt, 41
Crenicichla, 18
Crepis, 69, 75
Cricetus, 15
Crinia, 16
crossing-over, 243, 279, 301, 346, 367, 373 *sqq.*, 385, 404, 413, 414
  mitotic, 354 *sqq.*
  somatic, 385
  unequal, 351 *sqq.*, 382
  value, 381
Crowe, L. K., 293-322
Cruciferae, 53, 76, 293, 415
Crustacea, 4, 30
cryptomorphism, 6
cryptic pattern, 323 *sqq.*
cuckoo, 7
cytology, 73, 249, 418
cytoplasm, 114, 296 *sqq.*
cytoplasmic, heredity, 285
  influence, 318
  mutation, 151
cytoplasmic particle, 316

Darlington, C. D., 29, 117-127, 151
Darrow, 151
Darwin, C., 153
Darwinism, 274
Datura, 33
Daucus, 32
Dawson, G. W. P., 409-412
Delphinium, 409 *sqq.*
development, 164, 273, 290
diallel crosses, 223 *sqq.*
Dianthus, 33
dicotyledon, 4
differentiation, 89, 122-123, 145
Digitalis, 23
dioecy, 415
diplo-chromosomes, 145
disease resistance, 37, 149
Dobzhansky, T., 280
dominance, 69 *sqq.*, 223 *sqq.*, 261, 324, 325, 373 *sqq.*, 411, 419
dosage heterosis, 7
Dowdeswell, W. H., 265
Dowrick, 124
Draba, 65
drift, 281
Drosophila, 11, 26, 27, 50, 132, 152, 153, 187, 290, 343, 369, 382, 385 *sqq.*, 417
  pseudo-obscura, 247
Duffy system, 138, 152
dyschronisation, 122

earwigs, 3
Echinoderms, 4, 31, 47
ecology, 265 *sqq.*, 335
egg-number, 9
egg plants, 229
Elliott, C. G., 385-398
Empoasca, 26
endosperm failure, 199
Endymion, 386 *sqq.*
environmental variation, 5
enzymes, 143, 147, 290
Epacris, 81
Ephestia, 25
Ephrussi, B., 143
Epipactis, 18
Ericaceae, 82
epistasis, 344
Erophila, 65
Euarctus, 29
Eubacteriales, 252
Eucalyptus, 32
Eupatoria, 32
Euphrasia, 33
Evans, A. M., 417
evolution, 1-52, 153, 182, 255, 274, 278, 415, 418
  of incompatability, 293
extra-nuclear inheritance, 417
eyeless, 239 *sqq.*

fecundity, 159, 275, 417
Feldman, 146
Felis pardus, 29
fertility, *Aspergillus*, 345 *sqq.*
  Drosophila, 163
  human, 35
  Oenothera, 303 *sqq.*
  seed, 87
  Theobroma cacao, 69 *sqq.*
fermentation, 373
Fisher, Sir R. A., 2, 26, 35, 274
fitness, 153 *sqq.*
Flagellata, 145, 290
flatfish, 50
Flata, 21
flax, 233
flower colour, 409
Ford, E. B., 41, 135-142, 255, 265
Forficula, 3, 52
formaldehyde, 290
fossils, 153
Frith, M. J., 29
Fritillaria, 32, 121, 390, 396
Froud, M. D., 289
Frydenberg, O., 353
Fulmarus, 24
fungi, 4, 249
Fyfe, J. L., 291

Galeopsis, 231
Gasteria, 75, 219
Gastropoda, 3
gene, action, 318, 406
  complementary, 381
  compound, 373 *sqq.*
  definitions, 343
  frequency, 154, 181, 419
  spread of, 340
  transformation, 354
  unstable, 409 *sqq.*
genes, blood, 137
  incompatibility, 293
  lethal, 296 *sqq.*
  modifying, 298, 299
genetic recombination, 174, 179
genotypic control, 93-116
germination, 298, 302
Gerra, A., 249
giant cells, 104
glucose, 374
Godley, E. J., 415
Goodwins, I. R., 413-414
Gossypium, 382
grafting, 417
grasshoppers, 3, 27
Griffith, D. J., 149
Grigg effect, 349
growth rate, 350
  substance, 313
Gymnorhina, 17

Habrobracon, 385
Hadzi, J., 276
Haque, Ashraful, 117-127
Haldane, J. B. S., 278, 284
haptene, 316, 320
hardiness, 168
Hardy, A. C., 275
Harmonia, 14
Harris, 278
Hartshorne, J. N., 239
Haskell, G., 149
Haskins, C. P., 18
Helianthemum, 10, 132
Helioporus, 17
Helix hortensis, 9
Hemerocallis, 75
Herpestes, 51
heterochromatin, 217
Heterodera, 19, 150
heterogeneity, 251
heterokaryosis, 19, 289, 344 *sqq.*, 381
heterosis, 11, 174, 223 *sqq.*
heterostyly, 19
heterozygosity, 223, 273, 293 *sqq.*, 324, 325, 343, 374 *sqq.*, 411, 418
  residual, 399
Hipparchia, 3
Hirsch, 147
Hogben, L., 36
homeostasis, 273
Homo sapiens, 33, 132
homozygote, structural, 403
Horne, F. R., 57
Howard, H. W., 150
human, blood groups, 278, 280
  heredity, 282
Huxley, Julian, 1-52, 274
Hyacinthus, 81, 102, 120 *sqq.*, 199, 386 *sqq.*
hybrid, interspecific, 297
hybridisation, 32
hydrolysis, 374

Iberis amara, 53, 65
identical twins, mice, 414
ideogram, 149
inbred lines, 93, 289, 291, 339
inbreeding, 66, 274, 413, 415
  coefficient, 291
incompatibility, 53 *sqq.*, 69 *sqq.*, 145, 284, 291, 297, 415
  antigen, 315
  evolution of, 293 *sqq.*
individuality, 287
inhibition, time of, 62
Insecta, 4
intercellular gradient, 89
intercrossing, 73
interference, 346, 367
  negative, 354 *sqq.*
internode patterns, 149
interspecific hybrids, 297, 309
intra-haploid pairing, 99, 403

inversions, 11, 354, 364, 403, 404
inviability, 304, 306
irradiation, 191, 217, 246
isochromosomes, 10
isolation, 263

Jacksonia, 17
Jennings, 154
Jinks, J. L., 223
Jones, K., 418
Jones, Marsden, 33
June Yellows, 151

Kallina, 3
Kell System, 138, 152
Kettlewell, H. B. D., 323-342
Kidd system, 139
Kirk, 415
Kitching, J. A., 147
Knight, R., 69

Lack, D., 275
lactation in mice, 291
Lampropeltis, 30
Lanius, 8
Larus, 9
Lawler, Sylvia D., 152
Lebistes, 18, 51
Lepidium, 65
Lepidoptera, 3, 323
Lerner, I. M., 273
lethal gene, 187, 300 *sqq.*, 403
  balanced, 380
Leucopogon sp., genetics of, 79 *sqq.*
Lewis effect, 343 *sqq.*
Lewis system, 139, 152
Liliaceae, 396
Lilium, 199, 201
linkage, 7, 26 *sqq.*, 152, 223, 283, 296, 300, 325, 344 *sqq.*, 373 *sqq.*, 412, 413
Limicolines, 11
Limosella, 33
Linanthus, 25
Little, C. C., 287
Littorina, 3, 30
livestock improvement, 147
Lobularia, 63
localisation of breakage, 399
Lockley, R. M., 16
locus, complex, 380
Locusta, 5, 99, 386 *sqq.*
Lolium, 418
longevity, 167
Longstaff, T. A., 29
lucerne, 291
Lupinus, 247
Lupton, F. G. H., 150
Lutheran system, 139, 152
Luzula, 81
Lybius, 14

Machetes pugnax, 21
McWhirter, K. A., 151
maize, 103, 225, 377
malaria, 38, 39
maltose, 373
Malva, 32
Maniola jurtina, 265
mannose, 374
map distance, 344, 346
Marasmius perniciosus, 70
mating, barriers, 145
  behaviour, 26
  groups, 56, 284
  sequence, 188
Mather, K., 151
maximum likelihood, 390, 393
Mayr, E., 30, 275
Medicago, 86, 219
Megapodidae, 29
megasporogenesis, 82-84
meiosis, 145, 203
  in *Allium*, 117
  in *Aspergillus*, 354 *sqq.*
  in *Drosophila*, 385
  in *Leucopogon*, 83
  in *Locusta*, 386
  in *Oenothera*, 295 *sqq.*
  in rye, 95 *sqq.*, 399 *sqq.*
  in *Saccharomyces*, 374 *sqq.*
Melampyrum, 33
melanin metabolism, 147
melanism, 15 *sqq.*, 256
  industrial, 323 *sqq.*
Melanium, 33
Melanoplus, 10
melibiose, 374
Melipona, 18
Melissa, 32
Mendel, 1
mental processes, 277
meristic characters, rye, 105
metacentric group, 129
metrical characters, rye, 105
Metridium, 17
mice, 289, 290
Microcelis, 14
microcyte, 120-122
micronucleus, 102, 121
micro-organism, 144, 249, 275
microspores, 80
Microtus, 132
migration, 10, 338
mildew, 149
mimicry, 6 *sqq.*
Misumena, 24
mitochondria, 147
mitosis, 145, 199, 249
  in *Allium*, 117
  in *Aspergillus*, 354 *sqq.*
  in *Drosophila*, 385
  in *Hyacinthus*, 391
  in rye, 100

mitotic, recombination, 355 *sqq.*
  length, 391
MNL system, 139-140
MNS system, 152
mobile chromosome ends, 103
modifiers, 69, 261
Mollusca, 4, 30, 51
Monocotyledons, 4
monosaccharides, 374
Morgan, T. H., 1
morphism, 1-52
morphological characters, 168
mosaicism, 385
motility, 290
Mourant, A. E., 280
mouse, 380, 413
Muller, 40
Muscicapa, 23
Mustela, 51
mutagen, 249
mutagenic, action, 195, 197, 290
  sensitivity, 152, 193
mutant genes, Drosophila, 157
mutation, 239, 343, 347 *sqq.*, 379 *sqq.*, 399, 406, 409 *sqq.*
  chemical, 187 *sqq.*, 210, 290
  rate, 188, 195, 282, 290
  spectrum, 187, 197
myopia, 40
Mytilus, 24
Myxomycetes, 145

nail-patella syndrome, 152
Narcissus, 3
nectary arrangement, 63
Neei, J. V., 282
Neotana, 51
neoteny, 275
Neozephyrus, 23
Neurospora, 147, 364
Nicandra, 10
Nichols, J. E., 419
Nicotiana, 19, 54, 55, 69, 227, 232, 293 *sqq.*
Noctua castanea, 51
nucleolar microcytes, 120-122
nucleolus, 200
nucleic acid, 278
nucleus, 147, 316

oak, 326 *sqq.*
Oenothera, 84, 89, 293 *sqq.*
Oginsky, E. L., 144
oligogenes, 153
onycho-osteodysplasia, 152
oogonium, 385
Orchidaceae, 122
outbreeding, 314, 415, 418

Panaxia, 331
P system, 139, 152
Paramecium, 152, 284
Paris, 406
Parthenium, 69, 74, 75
pathology, 148
penetrance, 406
penicillinase, 290
perithecium, 346
Peromyscus, 51, 52
Petrella, L., 249
Petunia, 293 *sqq.*
phosphorus-32, 187 *sqq.*
physiology, 143, 144
  cell, 147
plant, growth, 148
  tumours, 148
plasmagene, 147, 151
plastids, 81
Podospora, 385
Polia, 340
pollen, 216, 409, 410
  distribution, 62
  mother cell, 295, 316, 391 *sqq.*, 403 *sqq.*
  reaction, 69 *sqq.*
  tube growth, 73, 294 *sqq.*
pollination, 201
polygenes, 153 *sqq.*, 273, 289, 314, 320
polygenic balance, 293, 314
polymorphism, 255 *sqq.*, 281, 283
polyploidy, 62, 74, 80 *sqq.*, 120, 188, 252, 314, 381
population, cytology, 418
  dynamics, 155-156
  size, 340
  structure, 148, 273, 418
position effect, 343, 382
potato, 150
poultry, 261
Prantl, 415
predation, 323, 329
pregnancy toxæmia, 37
Primula, 293 *sqq.*
Pritchard, R. H., 343-371
protozoa, 145
pseudoallelism, 382

Race, R. R., 278
radiation, 194
raffinose, 373
Raphanus, 59, 61, 62
ratio-cline, 9, 21
Rattus, 51, 132
reciprocal cross, 297 *sqq.*
  difference, 300
recombination, 145, 343 *sqq.*, 355, 373 *sqq.*, 385, 397
  value, 413, 414
Rees, H., 93-116, 399-407
Renwick, J. H., 152
reproduction, 145
reptiles, 29
respiration, 143
retinitis pigmentosa, 260
Rhesus system, 35, 141, 152, 279, 280
Rhinanthus, 33

Rhipidura, 16
Ribes, 132, 133
Richea, 81
Ricinus, 23
Riley, Ralph, 150
Rogers, H. H., 69-77
rogue peas, 1
Romalea, 132
Romulea, 32
root, cuttings, 1
  eelworm, 150
  tips, 217, 249
Rosa canina, 89
Rosaceae, 293
Rowlands, D. G., 151
Rubus, 3
rust, 149
rye, 93 *sqq.*, 150, 219, 399 *sqq.*

Saccharomyces, 143, 373 *sqq.*
Sagartia, 18
Salmo trutta, 52
Salmonella, 290
Sanger, R., 278
Satyrus, 3
Saxifrage, 33
Scabious, 31
Schistocerca, 386
Schull, W. J., 282
Scilla, 32, 97, 122 *sqq.*, 210
Scilly Isles, 265
Sciurus, 14
Scolopendrium, 286
Scoring methods, 325 *sqq.*
Scrophulariaceae, 293
Secale, 93, 150, 219, 399
seed, development, 84-88
  fertility, 87-88
  set, 201, 219
segregation, 291, 298 *sqq.*, 324, 379
  mitotic, 355, 362, 411
  ratio, 413
selection, 273, 274, 281, 314, 323 *sqq.*, 415, 418, 419
  coefficient, 157
  natural, 153, 176, 274
  response, 169, 291
  wheat, 150-151
selective value, 35, 335, 339
selfing, 199, 219
Selidosamidae, 323
sensory capacity, 40 *sqq.*
serology, 278
Seshiaya, R., 30
sex, chromosome, 187
  determination, 415
  linkage, 41, 156, 188, 265, 281
  micro-organisms, 144
Sharpe, H. S., 289
Sheppard, P., 9, 25, 27
sickle-cell anæmia, 38
Silene, 33
Slonimski, P., 143
Smith, C. A. B., 146
Smith-White, S., 79-91
Sneath, P. N. A., 290
Snoad, Brian, 129-134
soil micro-organisms, 249
Solanaceae, 150, 293 *sqq.*
somatic instability, 129-134
Sonneborn, 284
species crosses, 199
sperm sensitivity, 193, 196
speciation, 314
Sphaeroma, 23, 52
Spinacia, 132
spindle abnormalities, 120, 214
Spirorbis, 51
sponges, 4, 31
sporocyte, 378
spotting, 265
Stamm, G. W., 147
starch, 295, 300
Stercoranius, 24
Sterculiaceae, 76
sternopleural chaeta, 417
sterilty, 54, 57, 69 *sqq.*, 150, 159, 188, 302
Stocker, B. A. D., 290
strawberry, 151
Streptopelia, 34
Strix aluco, 29
structural characters, rye, 109 *sqq.*
Sturtevant, A. H., 8
Styphelieae, 80, 82, 86
sucrose, 374
super-gene, 27, 141, 149
Swann, M., 147
Symphytum, 32

" tasting " allele, 41
taxonomy, 255
Taxus, 3
Tealia, 18
Telephorus, 3
telocentric group, 129
Terias, 3
terminalisation, rye, 95, 108
tetrad analysis, 354, 364, 376 *sqq.*
Thais rumina, 51
thalassemia, 40
Thalassoma, 52
Theobroma cacao, 69, 219
Theridion, 23
Thompson, J. B., 399-407
time factor in mutations, 187 *sqq.*
Tinbergen, N., 275
tissue gradient, 89
Tradescantia, 101, 120 *sqq.*
transduction, 290
translocation, 382
Trichosurus, 16, 51
Trifolium, 19, 55, 293 *sqq.*, 417
Trillium, 97
Triphaena comes, 256

Triticinae sp., 150
Triticum, 132
Triturus, 29
Tryphaena, 51
Tulipa, 405
tumours, 148

ulcers, 38
Umbelliferae, 33
Umbreit, W. W., 144
Uria aalge, 8
Urochorda, 4
Ursus, 29
Ustilago, 385
Uvularia, 122 *sqq.*, 390, 400
Vaccinium, 81

variegation, 409 *sqq.*
variation, 1, 256, 265, 282, 418, 419
variety crosses, 201
Verbascum, 33
Verhulst, 178
Veronica, 33
vertebrates, 4
viability, 9, 35 *sqq.*, 155, 173, 300 *sqq.*, 324 *sqq.*, 381, 413
Vicia, 102, 122, 151, 212
Vincent, M. A. C., 413-414
Viola, 33
virus, 29
Visconti, 145
Volucella, 8
Vulpes, 22
Vuori, 35

Waddington, C. H., 28, 147
Warburg, 143
Waterhouse, 36
Weismann, 145, 286
Wenrich, D. H., 144
Westergaard, 147
wheat, 150-151, 246
Whitehouse, R. N. H., 150
Williams, W., 419
Wills, A. B., 291
wing size, 169, 182
Winge, Ø., 373-384
Wright, Sewall, 35

Xiphophorus, 18
X-rays, 187 *sqq.*, 199, 216
Xylotrupes, 3

Young, J. Z., 277

Zea mays, 149
Zuckerman, S., 277
Zygaena, 3
zymase, 374